CONSERVATION ENHANCEMENT ACTIVITY

E328E



Soil health crop rotation

Conservation Practice 328: Conservation Crop Rotation

APPLICABLE LAND USE: Crop (Annual & Mixed)

RESOURCE CONCERN: Soil

PRACTICE LIFE SPAN: 1 Year

Enhancement Description

Implement a crop rotation which addresses all four principle components of soil health: increases diversity of the cropping system; maintains residue throughout the year; keeps a living root; and minimizes soil chemical, physical and biological disturbance. The rotation will include at least 4 different crop and/or cover crop types (crop types include cool season grass, warm season grass, cool season broadleaf, warm season broadleaf) grown in a sequence that will produce a positive trend in the Organic Matter (OM) subfactor value over the life of the rotation, as determined by the Soil Conditioning Index (SCI). The current NRCS wind and water erosion prediction technologies must be used to document the rotation and SCI calculations.

Criteria

- Crops must be grown in a planned sequence as outlined in the plan. The crop rotation must include a minimum of four different crop types. For the purpose of this criteria a cover crop is considered a different crop.
- Where applicable, plan suitable crop substitutions when the planned crop cannot be planted due to weather, soil conditions, or other local situations.
- Grow crops that will produce a positive trend in the Organic Matter (OM) subfactor value over the life of the rotation, as determined by the Soil Conditioning Index (SCI). (management SCI value)

E328E-Soil Health Crop Rotation	January 2022 Colorado	Page 1



United States Department of Agriculture

 The crop rotation includes at least 2 years of high residue crops and/or cover crops per 3 years of the rotation. (See STATE list of high residue crops)

CONSERVATION STEWARDSHIP PROGRAM

- For crop diversity, the planned crop sequence should contain four different crop types; for example, a mix of the following: warm season grass; warm season broadleaf; cool season grass; cool season broadleaf.
- Leave crop residue on the soil surface throughout the year.
- Keep a living root system established as much as practical for the given soil, cropping system, and climate area. Maximize root growth periods by planting the next crop or cover crop as soon as practical after the harvest and/or utilize perennial crops in the rotation. Aim to have living roots at least 90% of available growing days. To calculate growing degree days (GDD and observe periods of no growth, visit Colorado Climate Centers GDD Tool: http://climate.colostate.edu/gdd.html. Refer to CPS (340) Cover Crop implementation Requirements for information on suggested seeding periods by median freeze free period and MLRA within Colorado. Show before and after management files from current NRCS wind and water erosion prediction technologies to document benchmark and planned crop rotation to show increase in living root periods.
- Minimize all types of soil disturbance. No more than one crop-year in the rotation will have a Soil Tillage Intensity Rating (STIR) value greater than 20 (crop STIR value) and the rotation will have a positive trending SCI (management SCI value).



Documentation and Implementation Requirements

Participant will:

CONSERVATION STEWARDSHIP **PROGRAM** ☐ Prior to implementation, provide NRCS with the current and planned crop rotation and planned field operation(s) used for each crop.

Current Management – Crop Rotation

Field	Acres	Planned Crops (in sequence)	Length of Crop Rotation (years)	Crop Type (Warm Grass-WG, Cool Grass-CG, Warm B <mark>roadleaf</mark>	
				WB, Cool Broa <mark>dleaf-CB)</mark>	

Current Management – Field Operations

Field	Crop	Field Operation		Timing of Fie (mont)	ld Operation n/year)
			Vi A	Vi i	

Planned Management – Crop Rotation (Planned crop rotation must include at least 2 years of high residue crops and/or cover crops per 3 years of the rotation and at least 4 different crop types. Use STATE list of high residue crops.)

			Length of Crop	Crop Type
Field	Acres	Planned Crops (in sequence)	Rotation (years)	(Warm Grass-WG, Cool
				Grass-CG, Warm Broadleaf-
				WB, Cool Broadleaf-CB)

E328E-Soil Health Crop Rotation	January 2022 Colorado	Page 3



CONSERVATION STEWARDSHIP PROGRAM

Planned Management – Field Operations

ield	Crop	Field Operation	Timing of Field Operation (month/year)	
		tation, notify NRCS of any planned changes in crops, croify the planned system meets the enhancement criteria	-	
	During implementshow residue or g	tation, take dated pictures with field indicated at least errowing crops.	every 3 months to	
	During implemen	tation, leave crop residue on the soil surface throughou	t the year.	
	After implementation, if changes to the rotation were made, complete the tables above to document the applied Conservation Crop Rotation for the contract period and provide to NRCS.			
	throughout the ye	ition, provide for review pictures sh <mark>owing resid</mark> ue or <mark>gro</mark> ear.	owing crops	
	-	de technical assistance in selecting crop rotations or sub	ostitute crops that	
	would meet the c	riteria of the enhancement.		
	Prior to implement crop types.	ntation, verify the planned crop rotation includes at least	st four different	
	Driar ta implamar	atation worify the group rotation includes at least 2 years	of high residue	
	· · · · · · · · · · · · · · · · · · ·	ntation, verify the crop rotation includes at least 2 <mark>years</mark> er crops per 3 years of the rotation. (Use STATE list of hi	_	
	Prior to implemen	ntation, use information provided from the participant t	to calculate the	
	•	Conditioning Index (SCI) value for each field using curre		

E328E-Soil Health Crop Rotation	January 2022 Colorado	Page 4



United States Department of Agriculture

and water erosion prediction technologies. Crop
rotation must produce a positive trend in the Organic
Matter (OM) subfactor value.
Management SCI Value =
OM subfactor value =



	rotation must produce a positive trend in the O Matter (OM) subfactor value. Management SCI Value = OM subfactor value =	rganic STEWARDSHIP PROGRAM
	Prior to implementation, use NRCS wind and ward document benchmark and planned crop rotation	
	During implementation, evaluate planned chan operations to verify the planned system meets	-
	After implementation, if the applied crop rotation rotation, use information provided from the padocument that the applied rotation met the en Management SCI Value =OM subface	rticipant to calculate SCI value to hancement criteria.
NRCS	After implementation, review pictures showing the year to verify the applied system meets the Documentation Review:	
	reviewed all required participant documentation plemented the enhancement and met all criteria	The state of the s
Pa	rticipant Name	Contract Number
То	tal Amount Applied	Fiscal Year Completed
NF	RCS Technical Adequacy Signature	Date

E328E-Soil Health Crop Rotation	January 2022 Colorado	Page 5