United States Department of Agriculture

CONSERVATION ENHANCEMENT ACTIVITY

E345E

CONSERVATION STEWARDSHIP PROGRAM

Reduced tillage to reduce energy use

Conservation Practice 345: Residue and Tillage Management, Reduced Till

APPLICABLE LAND USE: Crop (Annual & Mixed)

RESOURCE CONCERN: Energy

ENHANCEMENT LIFE SPAN: 1 year

Enhancement Description:

Establish a reduced tillage system which reduces total energy consumption associated with field operations by at least 25% compared to conventional tillage systems (benchmark). Each crop in the crop rotation shall have a Soil Tillage Intensity Rating (STIR) of no greater than 80. The current NRCS wind and water erosion prediction technologies must be used to document STIR calculations and energy consumption.

Criteria:

- Uniformly distribute residues over the entire field. Removing residue from the row area prior to or as part of the planting operation is acceptable.
- Do not burn crop residues.
- The Soil Tillage Intensity Rating (STIR) value shall include all field operations that are performed during the crop interval between harvest of the previous cash crop and harvest or termination of the current cash crop (includes fallow periods). The crop STIR value rating shall be no greater than 80, and no primary inversion tillage implements (e.g. moldboard plow) shall be used.
- Reduce the total energy consumption associated with field operations by at least 25% compared to the benchmark condition. The current NRCS wind and water erosion

prediction technologies must be used for determining energy use to document energy use reductions.

CONSERVATION STEWARDSHIP PROGRAM

Documentation and Implementation Requirements

Participant will:

- ☐ Prior to implementation, provide NRCS with the current (benchmark) and planned crop rotation and tillage operation(s) used for each crop.

Field	Acres	Current (Benchmark) Crops (in sequence)	Length of Crop Rotation (years)

Field	Crop	Current (Benchmark) Field Operation	Timing of Field Operation (month/year)

Field	Acres	Planned Crops (in sequence)	Length of Crop Rotation (years)

Field	Crop	Planned Field Operation	Timing of Field Operation (month/year)

- ☐ During implementation, notify NRCS of any planned changes in crops, crop rotation, or field operations to verify the planned system meets the enhancement criteria.
- ☐ During implementation, no residue will be burned.
- ☐ During implementation, all residues will be uniformly distributed over the entire field. Removing residue from the row area prior to or as part of the planting operation is acceptable.
- ☐ During implementation, no primary inversion tillage implements (e.g. moldboard plow) will be used.
- ☐ During implementation, reduce the total energy consumption associated with field operations by at least 25% compared to the current benchmark tillage system.
- ☐ After implementation, if changes to the rotation were made, complete the tables above to document the applied Conservation Crop Rotation for the contract period and provide to NRCS.

NRCS will:

- ☐ As needed, provide technical assistance to meet the criteria of the enhancement.
- ☐ Prior to implementation, use information provided from the participant to calculate the Soil Tillage Intensity Rating values and energy consumption for both the current system and the planned system using the approved NRCS wind and water erosion prediction technologies. Verify the Soil Tillage Intensity Rating value is no greater than 80 for each crop in the planned rotation and total energy consumption is reduced by at least 25%.
  Current STIR values = _____ and Energy Consumption = _____
  Planned STIR values = _____ and Energy Consumption = _____
- ☐ During implementation, evaluate planned changes in crops, crop rotation, or field operations to verify the planned system meets the enhancement criteria.
- ☐ After implementation, if changes were made to the planned crops, crop rotation, or field operations, use information provided from the participant to calculate the Soil Tillage Intensity Rating values and total energy consumption to document that the applied rotation met the enhancement criteria.
  Applied STIR values = _____ and Energy Consumption = _____

CONSERVATION STEWARDSHIP PROGRAM

NRCS Documentation Review:

I have reviewed all required participant documentation and have determined the participant has implemented the enhancement and met all criteria and requirements.

Participant Name _____ Contract Number _____

Total Amount Applied _____ Fiscal Year Completed _____

_____ _____

NRCS Technical Adequacy Signature Date

*Sign and certify in the Oregon-Acknowledgment & Certification supplement below.

Design Approvals & Acknowledgements:

Design Approval	Date	Job Approval Authority
Designed by:		
Approved by:		

Client's Acknowledgement Statement:

The client acknowledges:

- I have received a copy of the specification and understand the contents and requirements.
- It is my responsibility to obtain all necessary permits and/or rights and to comply with all ordinances and laws pertaining to the application of this practice.
- I will not begin installation of this practice until I have received appropriate approval to do so. I understand NRCS also has Federal and state laws to comply with that may take some time to address (e.g. cultural resources).

Client's Signature	Date

Certification Documentation:

☐	Field Evaluation: Post-treatment inventory, measurements, notes, as-built, and supporting documentation (document completion in conservation plan), as required.
☐	Map(s): Including field numbers, fields treated, and units treated (may document on conservation plan map), as required.
☐	Photos or other supporting documentation (e.g., seed tags, soil tests, receipts, invoices, spray records, fertilizer records, etc.)
Brief Description of Work Accomplished (types of equipment used, date of application, extents and quantities installed, etc.)	

Certification Statement:

The employee certifies the implementation of this conservation practice:

- Meets the purpose, general criteria, and any required additional criteria as documented in the conservation practice standard and/or enhancement sheet.
- Meets the specifications contained herein and is complete.
- Conforms to my existing Job Approval Authority controlling factors and levels.

Name	Date	Job Approval Authority

Field Level Certification – For multiple applications of this design.				
Land Unit/ Contract Item Number	Date	Unit(s)	Amount Installed	Certifier