

Oliver
North Dakota

7/15/87

Highly Erodible and
Potentially Highly Erodible
Land Calculator Ver. 1.1

Highly Erodible Land Classes

- 1= Highly Erodible Land
- 2= Potentially Highly Erodible
- 3= Not Highly Erodible

Map Symbol	Soil Name	%	WIND EROSION					WATER EROSION						Revised Water			
			C Value	I Value	HEL Class	R Value	K Value	T Value	Slope- -Percent		Slope- -Length		LS- -Value		Water HEL Class	HEL Class	
Aa	Alluvial land	100	0.50	86	1	50	0.20	5	0	4	50	100	0.060	0.400	4.000	3	3
ArA	Arnegard loam	100	0.50	48	3	50	0.28	5	0	3	100	250	0.069	0.378	2.857	3	3
ArB	Arnegard loam	100	0.50	48	3	50	0.28	5	3	6	100	200	0.287	0.951	2.857	3	3
ArC	Arnegard loam	100	0.50	48	3	50	0.28	5	6	9	100	200	0.672	1.659	2.857	3	3
BaC	Banks fs	100	0.50	134	1	50	0.24	5	2	10	50	200	0.163	1.936	3.333	3	3
BbA	Banks soils	100	0.50	56	3	50	0.24	5	2	5	50	200	0.163	0.757	3.333	3	3
BcA	Banks fsl	79	0.50	86	1	50	0.24	5	0	3	50	200	0.060	0.353	3.333	3	3
	Trembles fsl	21	0.50	86	1	50	0.20	5	0	3	50	200	0.060	0.353	4.000	3	3
BcB	Banks fsl	65	0.50	86	1	50	0.24	5	3	6	50	200	0.233	0.951	3.333	3	3
	Trembles fsl	35	0.50	86	1	50	0.20	5	3	6	50	200	0.233	0.951	4.000	3	3
BdA	Belfield sil	67	0.50	48	1	50	0.32	3	0	3	50	150	0.060	0.324	1.500	3	3
	Daglum sil	33	0.50	48	1	50	0.32	3	0	3	50	150	0.060	0.324	1.500	3	3
BdB	Belfield sil	67	0.50	48	1	50	0.32	3	3	6	50	150	0.233	0.823	1.500	3	3
	Daglum sil	33	0.50	48	1	50	0.32	3	3	6	50	150	0.330	0.823	1.500	3	3
BeA	Belfield sicl	60	0.50	38	3	50	0.32	3	0	3	50	150	0.060	0.324	1.500	3	3
	Daglum sicl	40	0.50	48	3	50	0.32	3	0	3	50	150	0.060	0.324	1.500	3	3
BeB	Belfield sicl	60	0.50	38	3	50	0.32	3	3	6	50	150	0.233	0.823	1.500	3	3
	Daglum sicl	40	0.50	48	3	50	0.32	3	3	6	50	150	0.233	0.823	1.500	3	3
BmA	Belfield sil	55	0.50	48	3	50	0.32	3	0	3	50	150	0.060	0.324	1.500	3	3
	Morton sil	45	0.50	48	3	50	0.32	4	0	3	50	150	0.060	0.324	2.000	3	3
BmB	Belfield sil	55	0.50	48	3	50	0.32	3	3	6	50	150	0.233	0.823	1.500	3	3
	Morton sil	45	0.50	48	3	50	0.32	4	3	6	50	150	0.233	0.823	2.000	3	3
BmC	Belfield sil	61	0.50	48	3	50	0.32	3	6	9	50	150	0.475	1.436	1.500	3	3
	Morton sil	39	0.50	48	3	50	0.32	4	6	9	50	150	0.475	1.436	2.000	3	3
BsA	Belfield loam	55	0.50	48	3	50	0.32	3	0	3	50	150	0.060	0.324	1.500	3	3
	Straw loam	45	0.50	48	3	50	0.32	5	0	3	50	150	0.060	0.324	2.500	3	3
CaE	Cabba complex	67	0.50	86	1	50	0.37	2	15	15	50	200	1.810	25.206	0.865	1	1
	Shale outcrop	33	0.50	86	1	50	0.37	1	15	15	50	200	1.810	25.206	0.432	1	1
CbD	Cabba complex	50	0.50	86	1	50	0.37	2	9	9	15	200	0.829	3.620	0.865	2	1
	Werner complex	50	0.50	48	1	50	0.28	2	9	9	15	200	0.829	3.620	1.143	2	1
CbE	Cabba complex	61	0.50	86	1	50	0.37	2	15	15	40	150	1.810	15.496	0.865	1	1
	Werner complex	39	0.50	48	1	50	0.28	2	15	15	40	150	1.810	15.496	1.143	1	1
CgE	Cohagen	73	0.50	86	1	50	0.24	2	15	15	50	200	1.810	25.206	1.333	1	1
	Sandstone outcrop	27	0.50	134	1	50	0.17	1	15	15	50	200	1.810	25.206	0.941	1	1
ChD	Cohagen fsl	55	0.50	86	1	50	0.24	2	6	6	30	150	0.475	9.740	1.333	2	1
	Vebar fsl	45	0.50	86	1	50	0.20	4	6	6	30	150	0.475	9.740	3.200	2	1
Co	Colvin sil	50	0.50	86	1	50	0.32	5	0	0	3	200	0.060	0.353	2.500	3	3
	Regan sil	50	0.50	86	1	50	0.32	5	0	0	3	200	0.060	0.353	2.500	3	3
Dm	Dimmick sic	100	0.50	86	1	50	0.28	5	0	0	1	300	0.069	0.179	2.857	3	3
	Dimmick sic, drained	100	0.50	86	1	50	0.28	5	0	0	1	300	0.069	0.179	2.857	3	3
FaA	Farland sil	100	0.50	48	3	50	0.32	5	0	0	3	200	0.069	0.353	2.500	3	3
FaB	Farland sil	100	0.50	48	3	50	0.32	5	3	3	6	200	0.287	0.951	2.500	3	3
FcB	Flaxton lfs	100	0.50	134	1	50	0.20	5	3	3	8	250	0.287	1.567	4.000	3	3
	FIA Flaxton fsl	72	0.50	86	1	50	0.20	5	0	0	3	200	0.060	0.353	4.000	3	3
	Lvona fsl	28	0.50	86	1	50	0.20	5	0	0	3	200	0.060	0.353	4.000	3	3
FIB	Flaxton fsl	67	0.50	86	1	50	0.20	5	3	3	6	200	0.233	0.951	4.000	3	3
	Livona fsl	33	0.50	86	1	50	0.20	5	3	3	6	200	0.233	0.951	4.000	3	3

Oliver
North Dakota

7/15/87

Highly Erodible and
Potentially Highly Erodible
Land Calculator Ver. 1.1

Highly Erodible Land Classes

- 1= Highly Erodible Land
- 2= Potentially Highly Erodible
- 3= Not Highly Erodible

Map Symbol	Soil Name	WIND EROSION							WATER EROSION						Revised Water		
		%	C Value	I Value	HEL Class	R Value	K Value	T Value	Slope- -Percent	Slope- -Length	LS- -Value	8T/RK=	HEL Class	Class			
	FIC Flaxton fsl	67	0.50	86	1	50	0.20	5	6	9	50	150	0.475	1.436	4.000	3	3
	Livna fsl	33	0.50	86	1	50	0.20	5	6	9	50	150	0.475	1.436	4.000	3	3
	FwA Flaxton loam	60	0.50	86	3	50	0.20	5	0	3	50	200	0.060	0.353	4.000	3	3
	Williams loam	40	0.50	48	3	50	0.28	5	0	3	50	200	0.060	0.353	2.857	3	3
	FwB Flaxton loam	60	0.50	86	3	50	0.20	5	3	6	50	200	0.233	0.951	4.000	3	3
	Williams soils	40	0.50	48	3	50	0.28	5	3	6	50	200	0.233	0.951	2.857	3	3
	FxB Flaxton soils	57	0.50	86	3	50	0.20	5	3	6	50	150	0.233	0.823	4.000	3	3
	Williams soils	43	0.50	48	3	50	0.28	5	3	6	50	150	0.233	0.823	2.857	3	3
	FxC Flaxton soils	50	0.50	86	3	50	0.20	5	6	9	50	150	0.475	1.436	4.000	3	3
	Williams soils	50	0.50	48	3	50	0.28	5	6	9	50	150	0.475	1.436	2.857	3	3
	FxD Flaxton soils	61	0.50	86	3	50	0.20	5	9	12	50	150	0.829	2.209	4.000	3	3
	Williams soils	39	0.50	48	3	50	0.28	5	9	12	50	150	0.829	2.209	2.857	3	3
	GaA Grail sil	100	0.50	48	3	50	0.32	5	0	3	100	300	0.069	0.399	2.500	3	3
	GaB Grail sil	100	0.50	48	3	50	0.32	5	3	6	100	250	0.287	1.063	2.500	3	3
	GcA Grail sicl	100	0.50	38	3	50	0.32	5	0	3	100	300	0.069	0.399	2.500	3	3
	GcB Grail sicl	100	0.50	38	3	50	0.32	5	3	6	100	250	0.287	1.063	2.500	3	3
	GcC Grail sicl	100	0.50	38	3	50	0.32	5	6	9	100	200	0.672	1.659	2.500	3	3
	GnA Grassna sil	100	0.50	48	3	50	0.32	5	0	3	100	250	0.069	0.378	2.500	3	3
	GnB Grassna sil	100	0.50	48	3	50	0.32	5	3	6	100	200	0.287	0.951	2.500	3	3
	Gp Gravel pits	100	0.50	86	1	50	0.20	2	0	50	10	50	0.044	12.603	1.600	2	1
	Ha Harriet complex	100	0.50	48	1	50	0.37	3	0	3	100	250	0.069	0.378	1.297	3	3
	Hb Havreton loams	100	0.50	86	1	50	0.32	5	0	3	100	300	0.069	0.399	2.500	3	3
	Hc Havreton sicl	100	0.50	86	1	50	0.32	5	0	3	100	300	0.069	0.399	2.500	3	3
	Hd Havreton sicl	100	0.50	86	1	50	0.32	5	0	3	100	300	0.069	0.399	2.500	3	3
	Hm Havreton fsl	67	0.50	86	1	50	0.24	5	0	5	100	250	0.069	0.846	3.333	3	3
	Trembles fsl	33	0.50	86	1	50	0.20	5	0	5	100	250	0.069	0.846	4.000	3	3
	Hs Heil sic	100	0.50	86	1	50	0.28	3	0	3	100	300	0.069	0.399	1.714	3	3
	La Lallie sic	100	0.50	86	1	50	0.37	5	0	3	100	300	0.069	0.399	2.162	3	3
	La Lallie sic, drained	100	0.50	86	1	50	0.37	5	0	3	100	300	0.069	0.399	2.162	3	3
	Lb Lallie sic-very wet	100	0.50	86	1	50	0.37	5	0	3	100	300	0.069	0.399	2.162	3	3
	Lb Lallie sic-v.w., dr.	100	0.50	86	1	50	0.37	5	0	3	100	300	0.069	0.399	2.162	3	3
	LcA Lawther sic	100	0.50	86	1	50	0.32	5	0	3	100	300	0.069	0.399	2.500	3	3
	LcB Lawther sic	100	0.50	86	1	50	0.32	5	3	6	100	250	0.287	1.063	2.500	3	3
	LeA Lefor fsl	100	0.50	86	1	50	0.20	4	3	6	100	200	0.287	0.951	3.200	3	3
	LhA Lihen ifs	100	0.50	134	1	50	0.17	5	0	3	50	200	0.060	0.353	4.706	3	3
	LkA Lihen fsl	100	0.50	86	1	50	0.24	5	0	3	50	200	0.060	0.353	3.333	3	3
	LlC Linton sil	100	0.50	56	3	50	0.32	5	6	9	50	200	0.475	1.659	2.500	3	3
	LnB Linton sil	68	0.50	56	3	50	0.32	5	3	6	50	200	0.233	0.951	2.500	3	3
	Mandan sil	32	0.50	56	3	50	0.32	5	3	6	50	200	0.233	0.951	2.500	3	3
	Lo Lohler sic	100	0.50	86	1	50	0.28	5	0	3	50	150	0.060	0.324	2.857	3	3
	MaA Mandan sil	100	0.50	56	3	50	0.32	5	0	3	100	250	0.069	0.378	2.500	3	3
	MaB Mandan sil	100	0.50	56	3	50	0.32	5	3	6	100	200	0.287	0.951	2.500	3	3
	MbA Mandan sil, gr.sub.	100	0.50	56	3	50	0.32	5	0	3	100	250	0.069	0.378	2.500	3	3
	MbB Mandan sil, gr.sub.	100	0.50	56	3	50	0.32	5	3	6	100	200	0.287	0.951	2.500	3	3
	McB Manning fsl	100	0.50	86	1	50	0.20	4	0	6	100	250	0.069	1.063	3.200	3	3
	Md Mine dumps	100	0.50	86	1	50	0.37	1	0	50	10	100	0.044	17.823	0.432	2	1
	MoA Morton sil	100	0.50	48	3	50	0.32	4	0	3	100	250	0.069	0.378	2.000	3	3

Oliver
North Dakota

7/15/87

Highly Erodible and
Potentially Highly Erodible
Land Calculator Ver. 1.1

Highly Erodible Land Classes

- 1= Highly Erodible Land
- 2= Potentially Highly Erodible
- 3= Not Highly Erodible

Map Symbol	Soil Name	%	WIND EROSION				WATER EROSION						Revised				
			C Value	I Value	HEL Class	R Value	K Value	T Value	Slope- -Percent		Slope- -Length		LS- -Value		Water HEL Class	Water HEL Class	
MoB	Morton sil	100	0.50	48	3	50	0.32	4	3	6	100	250	0.287	1.063	2,000	3	3
MoC	Morton sil	100	0.50	48	3	50	0.32	4	6	9	100	200	0.672	1.659	2,000	3	3
MoD	Morton sil	100	0.50	48	3	50	0.32	4	9	12	50	150	0.829	2.209	2,000	2	3
MpA	Moron sil	61	0.50	48	3	50	0.32	4	0	3	50	150	0.060	0.324	2,000	3	3
	Daglum sil	39	0.50	48	3	50	0.32	3	0	3	50	150	0.060	0.324	1,500	3	3
MpB	Morton sil	59	0.50	48	3	50	0.32	4	3	6	50	150	0.233	0.823	2,000	3	3
	Daglum sil	41	0.50	48	3	50	0.32	3	3	6	50	150	0.233	0.823	1,500	3	3
MpC	Morton sil	59	0.50	48	3	50	0.32	4	6	9	50	150	0.475	1.436	2,000	3	3
	Daglum sil	41	0.50	48	3	50	0.32	3	6	9	50	150	0.475	1.436	1,500	3	3
MsC	Morton stony loam	50	0.50	48	3	50	0.24	4	3	9	100	200	0.287	1.659	2,667	3	3
	Sen stony loam	50	0.50	48	3	50	0.32	4	3	9	100	200	0.287	1.659	2,000	3	3
NfB	Noonan soils	53	0.50	48	1	50	0.32	3	3	6	50	150	0.233	0.823	1,500	3	3
	Flaxton soils	47	0.50	86	1	50	0.20	5	3	6	50	150	0.233	0.823	4,000	3	3
Pa	Parnell sil	100	0.50	48	3	50	0.28	5	0	3	100	350	0.069	0.418	2,857	3	3
	Pa Parnell sil, drained	100	0.50	48	3	50	0.28	5	0	3	100	350	0.069	0.418	2,857	3	3
PbA	Parshall fsl	100	0.50	86	1	50	0.20	5	0	6	100	300	0.069	1.164	4,000	3	3
PcA	Parshall loam	100	0.50	56	3	50	0.20	5	0	3	100	300	0.069	0.399	4,000	3	3
PcB	Parshall loam	100	0.50	56	3	50	0.20	5	3	6	100	300	0.287	1.164	4,000	3	3
PtC	Parshall fsl	68	0.50	86	1	50	0.20	5	6	9	100	250	0.672	1.854	4,000	3	3
	Tally fsl	32	0.50	86	1	50	0.20	5	6	9	100	250	0.672	1.854	4,000	3	3
Re	Regan sil	100	0.50	86	1	50	0.32	5	0	3	100	300	0.069	0.399	2,500	3	3
RgA	Regent sicl	100	0.50	38	3	50	0.32	4	0	3	100	200	0.069	0.353	2,000	3	3
RgB	Regent sicl	100	0.50	38	3	50	0.32	4	3	6	100	200	0.287	0.951	2,000	3	3
RgC	Regent sicl	100	0.50	38	3	50	0.32	4	6	9	50	200	0.475	1.659	2,000	3	3
RIA	Regent sicl	72	0.50	38	3	50	0.32	4	0	3	50	150	0.060	0.324	2,000	3	3
	Daglum sicl	28	0.50	48	3	50	0.32	3	1	3	50	150	0.105	0.324	1,500	3	3
RIB	Regent sicl	64	0.50	38	3	50	0.32	4	3	6	50	150	0.233	0.823	2,000	3	3
	Daglum sicl	36	0.50	48	3	50	0.32	3	3	6	50	150	0.233	0.823	1,500	3	3
RIC	Regent sicl	57	0.50	38	3	50	0.32	4	6	9	50	150	0.475	1.436	2,000	3	3
	Daglum sicl	43	0.50	48	3	50	0.32	3	6	9	50	150	0.475	1.436	1,500	3	3
RoB	Rhoades complex	61	0.50	48	1	50	0.32	3	0	9	50	150	0.060	1.436	1,500	3	3
	Daglum complex	39	0.50	48	1	50	0.32	3	0	9	50	150	0.060	1.436	1,500	3	3
RvE	Ringling gr. Loam	100	0.50	1	3	50	0.28	1	9	40	50	100	0.829	12.652	0.571	1	1
Rw	Riverwash	100	0.50	134	1	50	0.20	5	0	3	50	100	0.060	0.287	4,000	3	3
SaA	Savage sicl	100	0.50	38	3	50	0.37	5	0	3	100	300	0.690	0.399	2,162	3	3
SeC	Sen loam	55	0.50	48	1	50	0.32	4	3	9	50	200	0.233	1.659	2,000	3	3
	Werner loam	45	0.50	48	1	50	0.28	2	3	9	50	200	0.233	1.659	1,143	2	3
SmA	Sen loam	50	0.50	48	3	50	0.32	4	0	3	100	250	0.069	0.378	2,000	3	3
	Amor loam	50	0.50	48	3	50	0.28	4	0	3	100	250	0.069	0.378	2,286	3	3
SmB	Sen loam	50	0.50	48	3	50	0.32	4	3	6	100	200	0.287	0.951	2,000	3	3
	Amor loam	50	0.50	48	3	50	0.28	4	3	6	100	200	0.287	0.951	2,286	3	3
SmC	Sen loam	50	0.50	48	3	50	0.32	4	6	9	100	200	0.672	1.659	2,000	3	3
	Amor loam	50	0.50	48	3	50	0.28	4	6	9	100	200	0.672	1.659	2,286	3	3
SmD	Sen loam	50	0.50	48	3	50	0.32	4	9	12	50	150	0.829	2.209	2,000	2	3
	Amor loam	50	0.50	48	3	50	0.28	4	9	12	50	150	0.829	2.209	2,286	3	3
StA	Stady loam	100	0.50	48	3	50	0.28	4	0	3	50	200	0.060	0.353	2,286	3	3
SuB	Stady loam	61	0.50	48	3	50	0.28	4	3	6	50	200	0.233	0.951	2,286	3	3

Oliver
North Dakota

7/15/87

Highly Erodible and
Potentially Highly Erodible
Land Calculator Ver. 1.1

Highly Erodible Land Classes

- 1= Highly Erodible Land
- 2= Potentially Highly Erodible
- 3= Not Highly Erodible

Map Symbol	Soil Name	WIND EROSION							WATER EROSION						Revised Water		
		%	C Value	I Value	HEL Class	R Value	K Value	T Value	Slope- -Percent	Slope- -Length	LS- -Value	8T/RK=	HEL Class	Class			
	Lehr loam	39	0.50	56	3	50	0.28	3	3	6	50	150	0.233	0.951	1.714	3	3
SuC	Stady loam	55	0.50	48	3	50	0.28	4	6	6	50	150	0.475	1.436	2.286	3	3
	Lehr loam	45	0.50	56	3	50	0.28	3	6	6	50	150	0.450	1.436	1.714	3	3
SwA	Straw loam	100	0.50	48	3	50	0.32	5	0	0	50	250	0.060	0.378	2.500	3	3
Sx	Straw l-channelled	100	0.50	48	3	50	0.32	5	0	0	50	150	0.060	0.823	2.500	3	3
Sy	Strongly saline	100	0.50	86	1	50	0.37	4	0	0	50	200	0.060	0.353	1.730	3	3
TaB	Tally fsl	67	0.50	86	1	50	0.20	5	0	0	50	200	0.060	0.951	4.000	3	3
	Parshall fsl	33	0.50	86	1	50	0.20	5	0	0	50	200	0.060	0.951	4.000	3	3
TbA	Tally fsl	63	0.50	86	1	50	0.20	5	0	0	50	200	0.060	0.353	4.000	3	3
	Vebar fsl	37	0.50	86	1	50	0.20	4	0	0	50	200	0.060	0.353	3.200	3	3
TeD	Telfer lfs	53	0.50	134	1	50	0.17	5	9	9	50	150	0.829	3.135	4.706	3	3
	Lihen lfs	47	0.50	134	1	50	0.17	5	9	9	50	150	0.829	3.135	4.706	3	3
TmA	Temvik sil	100	0.50	48	3	50	0.32	5	0	0	50	250	0.069	0.378	2.500	3	3
TwB	Temvik sil	75	0.50	48	3	50	0.32	5	3	3	100	200	0.287	0.951	2.500	3	3
	Williams sil	25	0.50	48	3	50	0.28	5	3	3	100	200	0.287	0.951	2.857	3	3
TwC	Temvik sil	67	0.50	48	3	50	0.32	5	6	6	50	200	0.475	1.659	2.500	3	3
	Williams sil	33	0.50	48	3	50	0.28	5	6	6	50	200	0.475	1.659	2.857	3	3
TwD	Temvik sil	67	0.50	48	3	50	0.32	5	9	9	50	150	0.829	2.209	2.500	3	3
	Williams il	33	0.50	48	3	50	0.28	5	9	9	50	150	0.829	2.209	2.857	3	3
Tx	Tonka sil	50	0.50	48	3	50	0.32	5	0	0	50	300	0.060	0.179	2.500	3	3
	Parnell sil	50	0.50	48	3	50	0.28	5	0	0	50	300	0.060	0.179	2.857	3	3
Tx	Tonka sil-drained	50	0.50	48	3	50	0.32	5	0	0	50	300	0.060	0.179	2.500	3	3
	Parnell sil-drained	50	0.50	48	3	50	0.28	5	0	0	50	300	0.060	0.179	2.857	3	3
VaC	Vebar fsl	100	0.50	86	1	50	0.20	4	6	6	50	250	0.475	1.854	3.200	3	3
VbD	Vebar stony fsl	100	0.50	86	1	50	0.20	4	6	6	50	200	0.475	3.620	3.200	2	3
VhD	Vebar fsl	77	0.50	86	1	50	0.20	4	9	9	50	200	0.829	2.551	3.200	3	3
	Cohagen fsl	23	0.50	86	1	50	0.24	2	9	9	50	200	0.829	2.551	1.333	2	1
VkB	Vebar fsl	68	0.50	86	1	50	0.20	4	3	3	100	200	0.287	0.951	3.200	3	3
	Tally fsl	32	0.50	86	1	50	0.20	5	3	3	100	200	0.287	0.951	4.000	3	3
VIB	Vebar loam	58	0.50	56	3	50	0.20	4	3	3	100	200	0.287	0.951	3.200	3	3
	Tally loam	42	0.50	56	3	50	0.32	5	3	3	100	200	0.287	0.951	2.500	3	3
VIC	Vebar loam	67	0.50	56	3	50	0.20	4	6	6	100	200	0.672	1.659	3.200	3	3
	Tally loam	33	0.50	56	3	50	0.32	5	6	6	100	200	0.672	1.659	2.500	3	3
Vs	Velva fsl	63	0.50	86	1	50	0.20	5	0	0	50	150	0.060	0.324	4.000	3	3
	Straw fsl	37	0.50	86	1	50	0.32	5	0	0	50	150	0.060	0.324	2.500	3	3
WaD	Wabek gravelly l	100	0.50	56	1	50	0.28	2	6	6	50	150	0.475	9.740	1.143	2	1
WIA	Williams loam	100	0.50	48	3	50	0.28	5	0	0	50	200	0.060	0.353	2.857	3	3
WIB	Williams loam	100	0.50	48	3	50	0.28	5	3	3	50	200	0.233	0.951	2.857	3	3
WIC	Williams loam	100	0.50	48	3	50	0.28	5	6	6	50	150	0.475	1.436	2.857	3	3
WmC	Williams stony l	100	0.50	1	3	50	0.20	5	2	2	50	200	0.163	1.659	4.000	3	3
WnC	Williams loam	60	0.50	48	3	50	0.28	5	6	6	50	200	0.475	1.659	2.850	3	3
	Flaxton loam	40	0.50	86	1	50	0.20	5	6	6	50	200	0.475	1.659	4.000	3	3
WzD	Williams loam	77	0.50	48	3	50	0.28	5	9	9	50	150	0.829	2.209	2.857	3	3
	Zahl loam	23	0.50	86	1	50	0.28	5	9	9	50	150	0.829	2.209	2.857	3	3
ZuD	Zahl loam	45	0.50	86	3	50	0.28	5	9	9	50	150	???	???	2.857	3	?
	Williams loam	45	0.50	48	3	50	0.28	5	9	9	50	150	???	???	2.857	3	?
ZuE	Zahl loam	65	0.50	86	3	50	0.28	5	15	15	50	150	???	???	2.857	2	?

Oliver
North Dakota

7/15/87

Highly Erodible and
Potentially Highly Erodible
Land Calculator Ver. 1.1

Highly Erodible Land Classes

- 1= Highly Erodible Land
- 2= Potentially Highly Erodible
- 3= Not Highly Erodible

Map Symbol	Soil Name	WIND EROSION					WATER EROSION						8T/RK=	Water HEL Class	Revised Water HEL Class		
		%	C Value	I Value	HEL Class	R Value	Slope- Percent Min	K Value	T Value	Slope- Length Max	Min	Max				Min	Max
	Williams loam	25	0.50	48	3	50	0.28	5	15	35	50	150	???	???	2.857	2	?