

# CONSERVATION ENHANCEMENT ACTIVITY New Mexico Supplement



# E528A

Maintaining quantity and quality of forage for animal health and productivity

**Conservation Practice 528: Prescribed Grazing** 

**APPLICABLE LAND USE: Pasture, Range, Associated Ag Land** 

**RESOURCE CONCERN: Animals** 

**ENHANCEMENT LIFE SPAN: 1 year** 

# **Enhancement Description**

Managing the harvest of vegetation with grazing and/or browsing animals for the purposes of maintaining desired pasture composition/plant vigor and improving/maintaining quantity and quality of forage for the animals' health and productivity following the recommendations of a qualifying professional, as detailed in the documentation and implementation requirements.

#### Criteria

- A written plan matching the forage quantity and quality produced with the grazing and/or browsing demand will be followed.
- Removal of herbage will be in accordance with site production limitations, rate of plant growth, the
  physiological needs of forage plants, and the nutritional needs of the animals.
- Deferments will be planned and implemented for critical periods of plant needs (such as postplanting or renovation, severe drought, etc.).
- Manage grazing and/or browsing animals to maintain adequate cover on sensitive areas (such as riparian areas, wetlands, habitats of concern, karst areas, etc.).

E528A - Maintaining quantity and quality of	November 2021	Page   1
forage for animal health and productivity		
		New Mexico State Supplement



# **United States Department of Agriculture**

- Manage livestock movements based on rate of plant growth, available forage, and allowable utilization target. Develop and follow contingency plans to deal with episodic disturbance events.
- Plan grazing and/or browsing to match forage quantity and quality goals of the producer within the
  capability of the resource to respond to management. Plan the intensity, frequency, timing, and/or
  browsing to reduce animal stress and mortality from toxic and poisonous plants.
- Supplemental feed and/or minerals will be balanced with the forage consumption to meet the desired nutritional level for the kind and class of grazing and/or browsing livestock.
- The Certified Consultant provided recommendations or qualified, non-affiliated consultant (see documentation requirements) will be based on the National Research Council's Nutrient Requirements of Domestic Animals.

_				• • •	
Pα	rtı	cır	ant	\A/11	ı
		CIP	uiit	V V I I	٠.

] Prior to implementation, make initial target livestock performance goals and mediation a	actions taken
available to NRCS; including reasons for no action.	

The Initial target livestock performance goals should be included on the GanLab field sheet used when collecting samples. <u>GANLAB Sample Form</u>, or the <u>GANLAB Sample Form (Excel)</u>. Include information such as animal class, performance goals, desired body condition scores, desired average daily gain, stage in gestational cycle, breed attributes, etc.

Mediation actions should include plans for all supplementation (salt, minerals, protein and energy at key times of the year). If no supplements are expected to be provided, the report needs to include an explanation of why no supplements will be provided (livestock goals should be met with existing forage, livestock will be moved to other fields, destocking etc.)

Prior to implementation, obtain a written plan for collecting samples, sample analysis, and corresponding
management recommendations as developed and provided by a Certified Range Management Consultant,
Certified Professional in Range Management, Certified Forage and Grassland Professional, NRCS Technical
Service Provider approved for CAP 110, or a non-affiliated consultant with a bachelor or higher level degree
in forage agronomy, range science, animal science, animal nutrition or other closely-related plant science
discipline and a minimum of five years' experience in grazing lands conservation planning and grazing
animal nutrition.

\*\* CPS 159, Grazing Management Design and Implementation Activity, replaces CAP 110 as of October 2021.

E528A - Maintaining quantity and quality of	November 2021	Page   2
forage for animal health and productivity		
		New Mexico State Supplement



The plan should include the number of samples and timing of samples for each livestock class to adequately capture livestock health and productivity throughout the year. The flow chart below provides <u>suggestions</u> on number and timing of samples for different livestock classes. If fecal samples are collected, the samples need to be analyzed with Near-infrared spectroscopy (NIRS). If tissue samples are collected, the NutBal Pro Support software can be used through the conversion process outlined in New Mexico Range Technical Note 111 or the tissue samples can be analyzed by comparing the results to New Mexico Range Tech Note 112 the reference for the National Research Council's Nutrient Requirements for Beef Cattle (if for cattle).

the reference for the National Research Council's Nutrient Requirements for Beef Cattle (if for cattle).		
During implementation, keep records to annually document prescribed grazing requirements are met.		
The NM Supplement for 528 must be followed. Proper grazing use must be met. In the event that sampled animals show nutritional deficiencies from the forage or if desired weight gains are not being met, a mediation report should be completed that identifies the most cost efficient supplement and the amount to be fed to overcome the deficiency. Mediation services are provided by the GanLab and through the NutBal Pro software. Feed labels should be sent in to the GanLab if they are requested for this service. They can be reached at:		
Gan Lab - https://cnrit.tamu.edu/ganlab/_254-774-6134		
Additional help may be found at NMSU:		
o <u>Dr. Craig Gifford; 575-646-6482; cgifford@nmsu.edu; Beef Specialist</u>		
o <u>Dr. Marcy Ward; 575-646-5947; maward@nmsu.edu; Extension LivestockSpecialist</u>		
Cooperative Extension Service County Offices: http://aces.nmsu.edu/county/		
After implementation, make available documentation of protein and energy of consumed forages/browse based on a land grant university laboratory analysis. The analysis may be based on collected sample of the forage available to the livestock or fecal samples analyzed with appropriate Near- infrared spectroscopy (NIRS). This analysis needs to illuminate shortfalls and/or excessive amounts of protein and energy.  Samples must be submitted in a timely manner to allow for appropriate adjustments in management and/or supplementation.		
After implementation, make grazing and supplementation records available for review by NRCS. Implementation must be completed by September 30 of the scheduled year to earn the fiscal year annual payment.		

	E528A - Maintaining quantity and quality of	November 2021	Page   3
}	forage for animal health and productivity		
			New Mexico State Supplement



#### **United States Department of Agriculture**

	wil	

Prior to implementation, assist the participant with development of a grazing plan if requested to do so.
During implementation, as requested, assist the participant with adapting the grazing strategy and plan to current conditions.
After implementation, review forage or fecal sampling schedule and corresponding management actions taken to determine if a supplementation plan was reasonably followed.
If the supplementation recommendations by the qualified consultant were not followed, a NRCS range specialist will determine if the intent of the enhancement was met with implementation of the grazing plan and/or other management actions.
After implementation, annually review documentation provided indicating that prescribed grazing specifications have been met and to verify the enhancement has been implemented.

# **New Mexico Supplemental Guidance:**

The flow chart below may be used as a guide to determine how many samples are needed, the time of year or lifecycle stage of the livestock, and the fields where samples should be collected from.

Guidelines for Forage and Fecal Sampling for Animal Health and Productivity for Beef Operations

### **Mature Cows**

#### Sample 1: After First Freeze in the Fall (Mid October)

Repeat Sample Cycle

This is the period where most producers begin to initiate feeding programs. Generally digestibility and crude protein values decline in a linear fashion relative to the decline in soil moisture and day length.

# Sample 6: Mid Summer "Slump" (Mid August)

Sampling when senescence (seed head formation) begins to exceed green leaf growth. Forage nutrition begins to decline and sampling can provide guidance on whether supplementation should be provided to prevent major weight loss later in the year.

#### Sample 5: Summer (Mid July)

Sampling in the summer when the majority of forage is actively growing gives a producer a analysis of the strength and production of the pasture. It also provides an opportunity to judge any animal in a body condition score that Is lower than desired and add supplemental feed to those individuals when it doesn't take as much supplement for an animal to gain weight.

#### Sample 2: Winter Period (November-December)

Forage quality declines after dormancy occurs and continues to decline with winter storms. Most cows are in their second trimester of gestation.

#### Sample 3: Winter to Spring (Mid February)

This is generally the highest nutrition requirement period for cows since they are in their third trimester, beginning to calve and starting to lactate.

#### Sample 4: Spring-(Mid March)

This is generally the early stages of spring green-up. Cows are at full lactation, and usually the time when producers make decisions on when to decrease supplemental feed.

Forage Tissue Sampling provided by most Land Grant Universities, see individual lab for specific instructions.

## Replacement or First-time Heifers

#### Samples 1-12: Weaning heifers

Sample monthly to ensure daily gain is sufficient to reach 65% of mature weight by breeding season and 85% of mature weight by calving time.

## **Stockers & Conditioning Calves**

Sample at least once a month (or more frequent) until enough data is known to make decisions and feeding adjustments to ensure targeted weight or desired animal performance is met by desired date.

#### **Bulls**

#### Sample in Early Spring

Sampling early in the spring can ensure they are on a positive plane of nutrition going into the breeding season.

## Additional samples

should be collected anytime body condition score is below what is desired.

More information for NIRS can be found at: https://cnrit.tamu.edu/ganlab/pagesmith/8

E528A - Maintaining quantity and quality of forage for animal health and productivity

November 2021

Page | 4

**New Mexico State Supplement** 



# **NRCS Documentation Review:**

I have reviewed all required participant do- implemented the enhancement and met al	cumentation and have determined the participant has Il criteria and requirements.
Participant Name	Contract Number
Total Amount Applied	Fiscal Year Completed
NRCS Technical Adequacy Signature	 Date

E528A - Maintaining quantity and quality of	November 2021	Page   5
forage for animal health and productivity		
		New Mexico State Supplement